


GyroPro™

PEACE RIVER STUDIOS

9 Montague St., Cambridge, MA 02139, USA, Tel: 617.491.6262
Fax: 617.419.6703, Web: www.peaceriverstudios.com



Camera Stabilizers For Rent



Features

- pan 360 degrees
- tilt 60 degrees (up or down)
- roll 30 degrees (right or left)
- adjustable air suspension for vibration isolation
- removable "Lunar Lander Legs"
- tie-down rings and travel lockdown system
- power requirement: 24 to 28 volts DC
- accommodates most film and video cameras weighing up to 100 lbs. including 70mm IMAX® cameras
- easy to learn steering handle motion control
- sets up in 20 minutes
- disassembles in 10 minutes
- detailed set-up and operation manual included
- on-site training, and/or camera operation available
- components fit into three cases designed for shipping via air freight

Peace River Studios' GyroPro™ camera stabilizer units liberate you to film while moving in any direction even over rough ground, on untamed rivers, high seas, or choppy air. These units enable you to achieve moves from spectacular to subtle with video and motion picture cameras, including most IMAX cameras, without the use of expensive and confining dolly systems, over-sized boats, or the need for calm in the air. Waiting for the right conditions can mean budget over runs, or perhaps missing the shot altogether. As directors, cinematographers, and designers we have refined this powerful system by making incremental improvements during thirty-five years of work in the field.

In addition to stabilizer rentals, we provide training, script reviews to recommend the best use of our stabilizers, and custom design and fabrication of special mounts.

Please call us for details at (617) 491-6262, or visit our web site www.peaceriverstudios.com.

"Peace River's gyro stabilizer is the stability solution that I've called upon repeatedly over the past twenty years. On dozens of IMAX films in every corner of the world, it has given me a single mount to address boat, aircraft and rolling stock shooting with a heavy camera and extreme stability standards. There is nothing like it."

David Douglas, director

PEACE RIVER STUDIOS

9 Montague St., Cambridge, MA 02139, USA, Tel: 617.491.6262
Fax: 617.419.6703, Web: www.peaceriverstudios.com



Specifications

Weight	Total weight of Gyro Stabilizer without camera: 78 kilograms (172 lbs.) Weight of the Base for use on boats: 12.7 kilograms (28lbs.)
Dimensions	Height of Gyro Stabilizer without camera: 60 centimeters (23 inches) Width of Gyro Stabilizer without camera: 70 centimeters (27.5 inches) Depth of Gyro Stabilizer without camera: 60 centimeters (23 inches)

Shipment Details / Box Contents and Price Values

Shipping Information Total shipping crates/boxes: 3
Total Weight: 310 lbs.

Box 1 of 3	Dimensions: 25" X 13" X 27" Weight: 95 lbs. Contents: Metal Housing With Gyro Stabilizing Units (No Battery) Value: \$ 75,000.00 (USD)
Box 2 of 3	Dimensions: 27" X 13" X 27" Weight: 90 lbs. Contents: Suspension Base and Legs (No Battery) Value: \$ 10,000.00 (USD)
Box 3 of 3	Dimensions: 31" X 29" X 15" Weight: 125 lbs. Contents: Yolk, Cradle, Gimbals, Gyro Box Handle, Tool Kit, Tie Down Strap Spare Foam Rubber for Feet, Camera Plate and Spacer Block (No Battery) Value: \$ 15,000.00 (USD)

The stand for boats has 4 padded feet that fit within a 75 centimeter (2' 5") square. The height of the boat stand is adjustable from 30 centimeters (11 .5 inches) to 50

Price Value: \$100,000.00 (USD). We must have on file your signed lease contract and your certificate of insurance with Peace River Studios, Inc. listed as Loss Payee for the price value of the GyroPro Camera Stabilizer.

Rental Fee: \$1,000.00 (USD) per day with a 4 day week, equaling \$4,000.00(USD) per week. Minimum rental of 4 days within the continental U.S.

Payment(s): Must be received in advance of the rental period(s), and before the unit is shipped .

PEACE RIVER STUDIOS

9 Montague St., Cambridge, MA 02139, USA, Tel: 617.491.6262
Fax: 617.419.6703, Web: www.peaceriverstudios.com